



Timber Inspired, Quality Driven

J54 External Grade D4 polyvinyl acetate adhesive

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· **1.1 Product identifier**

· Trade name - Xylo J54 D4 PVA

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Product category** PC1 Adhesives, sealants

· **Application of the substance / the mixture** Adhesives

· **1.3 Details of the supplier of the safety data sheet**

· **Distributor:**

Toolfix Joinery & Construction Supplies Ltd

Pentagon House

Neward Road

Peterborough, PE1 5UA

T: +44 (0)1733 347348

E: enquiries@toolfixservices.com

· **1.4 Emergency telephone number:** +44 (0)1733 347348

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the CLP regulation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· Additional information:

Safety data sheet available on request.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Chemical characterisation:** Mixtures

Description: Aqueous, modified adhesive based on polyvinyl acetate

| | | |
|--------------------------------|---|--------|
| Dangerous components: | | |
| CAS: 67-63-0 | propan-2-ol | < 2.5% |
| EINECS: 200-661-7 | Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336 | |
| Reg.nr.: 01-2119457558-25-0000 | | |

· **Additional information** For the wording of the listed hazard phrases refer to section 16.



Timber Inspired, Quality Driven

J54 External Grade D4 polyvinyl acetate adhesive

Safety Data Sheet

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact** Instantly rinse with water.
- After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

- **After swallowing** Do not induce vomiting; instantly call for medical help.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents

Use firefighting measures that suit the environment. Water haze

Foam

Fire-extinguishing powder Carbon dioxide

- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

· 5.3 Advice for firefighters

- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.

- **6.2 Environmental precautions:** Dilute with much water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders)

· 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions necessary if used correctly.

- **Information about protection against explosions and fires:** No special measures required.



Timber Inspired, Quality Driven

J54 External Grade D4 polyvinyl acetate adhesive

Safety Data Sheet

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**
Keep dark, cool and dry. Protect from Freezing
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

· 8.1 Control parameters

| | |
|--|--|
| · Components with critical values that require monitoring at the workplace: | |
| 67-63-0 propan-2-ol | |
| WEL | Short-term value: 1250 mg/m ³ , 500 ppm Long-term value: 999 mg/m ³ , 400 ppm |

Additional information: Based on information valid at the time of writing.

- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves** Nitrile rubber, NBR

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses

SECTION 9: Physical and chemical properties

| | |
|--|------------------------------------|
| 9.1 Information on basic physical and chemical properties | |
| · General Information | |
| · Appearance: | |
| · Form: | Fluid |
| · Colour: | According to product specification |
| · Smell: | Characteristic |
| · Odour threshold: | Not determined |
| · pH-value at 20 °C: | 3.5 |
| · Change in condition | |
| · Melting point/freezing point: | Not determined |
| · Initial boiling point and boiling range: | 100 °C |
| · Flash point: | Not applicable |
| · Inflammability (solid, gaseous) | Not applicable |
| · Decomposition temperature: | Not determined |



Timber Inspired, Quality Driven

J54 External Grade D4 polyvinyl acetate adhesive

Safety Data Sheet

| | |
|---|--|
| · Self-inflammability: | Product is not self-igniting |
| · Explosive properties: | Product is not explosive |
| · Critical values for explosion: Lower: Upper: | Not determined Not determined |
| · Vapour pressure at 20 °C: | 23 hPa |
| · Density at 20 °C | 1.09 g/cm ³ |
| · Relative density | Not determined |
| · Vapour density | Not determined |
| · Evaporation rate | Not determined |
| · Water: | Fully miscible |
| · Partition coefficient: n-octanol/water: | Not determined |
| · Viscosity: dynamic: kinematic: | Not determined Not determined |
| · Solvent content: Organic solvents: | 1.8 % |
| · Solids content: · 9.2 Other information | 50.0 % No further relevant information available. |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.



Timber Inspired, Quality Driven

J54 External Grade D4 polyvinyl acetate adhesive

Safety Data Sheet

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The generation of waste should be avoided or minimized wherever possible. Incinerate under controlled conditions in accordance with all local and national laws and regulations.

| | |
|-----------------------------------|--|
| • European waste catalogue | |
| 08 04 13* | aqueous sludges containing adhesives or sealants containing organic solvents or other hazardous substances |

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

| | |
|--|----------------|
| • 14.1 UN-Number • ADR, ADN, IMDG, IATA | Void |
| • 14.2 UN proper shipping name • ADR, ADN, IMDG, IATA | Void |
| • 14.3 Transport hazard class(es) • ADR, IMDG, IATA | |
| • Class | Void |
| | Not regulated |
| • ADN/R Class: | Void |
| • 14.4 Packing group • ADR, IMDG, IATA | Void |
| • 14.5 Environmental hazards: • Marine pollutant: | No |
| • 14.6 Special precautions for user | Not applicable |



Timber Inspired, Quality Driven

J54 External Grade D4 polyvinyl acetate adhesive

Safety Data Sheet

| | |
|--|----------------|
| • 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable |
| • UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 40
- **National regulations**
- **Other regulations, limitations and prohibitive regulations**
- **VOC (EU) in %:** 1.71 %
- **VOC (EU) in g/l:** 18.6 g/l
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information provided about the product on this Safety Sheet has been compiled from knowledge of the individual constituent.

The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer.

• Relevant phrases

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

• Abbreviations and acronyms:

- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- ICAO: International Civil Aviation Organisation
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- * **Data compared to the previous version altered.**