



OUR **JOINERY**
ADHESIVE
RANGE



Quin Global UK
Unit 1, Ruthvenfield Avenue
Inveralmond Industrial Estate
Perth, PH1 3WB

www.quinglobal.com
www.tensorglobal.com
sales.uk@quinglobal.com
0845 381 22 33

QUIN
GLOBAL
Tensor[®]

Tensorgrip[®]
Adhesives That Outperform



WHAT IS TENSORGRIP®?

As far as spray adhesives are concerned, no other product can compare to the strength, tenacity and reliability of **TensorGrip®**. Available in canisters as well as aerosols, **TensorGrip's** innovative formula breaks down barriers presented by traditional bonding methods with effortless ease.

Our adhesive systems eliminate the need to use traditional methods of bonding, that are messy, wasteful and time-consuming. Because **TensorGrip®** is a spray adhesive you are completely in control of how much glue is used, resulting in an even spray pattern the way you want it without the fuss and inconsistency that comes with using hand-applied adhesive.

Our revolutionary adhesive formulas have been proven to almost completely remove the time spent waiting for glue to tack; where traditionally you would be waiting for 25 minutes, **TensorGrip®** can tack off in as little as **ONE MINUTE!**

Not only will **TensorGrip®** speed up your workflow and drastically reduce production time, it is guaranteed to transform the way in which materials are bonded together with noticeably superior results!



OUR JOINERY ADHESIVE RANGE



WHAT SIZES OF TENSORGRIP® ARE AVAILABLE?

Aerosol

Volume: 500ml

This convenient 500ml aerosol is perfect for small applications or for less-frequent users. Small but sticks all the same!

Canister

Volume: 13L/22L

Our most popular adhesive container; comes equipped with a gun and hose system for fast and accurate dispersal. A long-lasting and cost-effective solution available in a 13 or 22 litre canister.

Intermediate

Volume: 110L

The largest in our range, suitable mostly for use in large-scale production environments.

THE NEW TENSOR LABELLING SYSTEM

Choosing the product that is right for the job should never have to be difficult, so Tensor has developed a new labelling system to help make your choosing of the correct adhesive as quick and easy as possible! Each of our aerosol, canister and intermediate labels have been colour coded to correspond to specific markets and also feature icons that denote the specific application or type of use. The following icons show the main areas of application that suit the JOINERY range:



Countertops



Cabinets



Contours



Doors

SUBSTRATE IDENTIFICATION ICONS



Brick



Carpet



Carpet Tile



Concrete



Cork



Fabric



Fabric (Thick)



Fabric (Thin)



Fibreglass Infusion



Flexi-Ply



Foam



FRL



FRP/GRP



FRP Reefer Liners



High Gloss Laminate



Insulation



MDF



Metal/Aluminium Sheeting



Plasterboard



Plastics



Plywood



Polystyrene



Post Forming



PVC Pipe



Rubber



Standard Laminate



Synthetic Leather



Timber/Wood



Veneers (Natural)



Veneers (Paperback)



Vinyl



Wood Build-ups

PRODUCT PROPERTY ICONS



Web Spray



Pebble Spray



Mist Spray



Snowflake Spray



Bead Application



Liquid Resistant



California Compliant



Low VOC



Class-0 Fire Rating



Class-I Fire Rating



CO-REZ™



ZERO-FLAM TECHNOLOGY



HAPs Free



OUR JOINERY ADHESIVE RANGE



L12

The ULTIMATE Web
Spray Contact Adhesive

SPEED

This highly engineered adhesive has proven to dramatically reduce production time. It removes the need for reliance on mechanical fastenings and wet glues in the application of curved structure building. L12 removes the need to use these traditional methods of bonding MDF and Flexi-ply onto curved structures, which can take up to 48hrs to cure.

POWER

With its incredible high-tack adhesive performance, L12 has unrivalled bonding power and reduces the need for mechanical fixings when building curved structures, counters, creating thicker worktops or backing up Corian or solid surface. The power of L12 provides immediate results on the most demanding applications.

VALUE

CO-REZ™ technology is an exceptional formulation development incorporating a highly engineered resin and gas matrix, creating a unique "more glue, less gas" formula. The result is an unparalleled increase of up to 25% extra coverage per unit, together with a 2-3 kilogram decrease in weight per canister system, making this technology a market leader. CO-REZ™ technology will revolutionise adhesive performance and user experience.

Advantages:

- Solid Surface Applications.
- CO-REZ™ Technology.
- Incredible Grab.
- Good Heat Resistance.
- High Solids.
- Portable Systems.
- Easy Application Control.
- Versatile.
- Economic.

Substrates:



Properties:



Available in:





OUR JOINERY ADHESIVE RANGE



LP61

Premium Web Spray
Contact Adhesive

The industry's most **PREMIUM** product that won't break the bank!

TensorGrip® LP61 is one of the prestigious PLATINUM products in our joinery range, suitable for bonding HPL, veneers and almost all other decorative face laminates to a variety of substrates including MDF, chipboard, plywood and many other timber sheet materials. This unique formulation is designed for permanent and **LIFETIME GUARANTEED** bonding of materials where high grab and superior bond strength are required. TensorGrip® LP61 is the first spray adhesive in the world to be awarded a CLASS-0 fire rating! So not only does this place LP61 on the cutting edge of adhesive technology, it means that if your application demands a completely fire-resistant solution the number one choice should be LP61!

Advantages:

- CLASS-0 Fire Rating.
- Non-Flammable.
- High Temp Resistance - 128°C.
- High solids.
- Portable system.
- Excellent green strength.
- Easy application control.
- Minimal cleaning.

Substrates:



Properties:



Available in:





OUR JOINERY ADHESIVE RANGE



LP64

Premium Mist Spray
Contact Adhesive

TensorGrip® LP64 is the LIFE TIME GUARANTEED spray contact adhesive for bonding GLOSS decorative surfaces. This PLATINUM product is suitably designed and developed to give a perfect pebble-mist spray pattern. It's the industry's winner when needing to bond gloss laminates or paperback veneers to a variety of substrates including MDF, chipboard, plywood and many other timber sheet materials.

TensorGrip® LP64 is designed for permanent and LIFE TIME GUARANTEED bonding of materials where high grab and superior bond strength are required.

Advantages:

- Ultra Flat Glue Line.
- Good Heat Resistance.
- High Solids.
- Portable System.
- Easy Application Control and slab to most porous and non-porous substrates, e.g. plywood, MDF, chipboard, sheet metal, etc.
- Suitable for Post-forming.
- Hi-Performance Neoprene-based Resin System.

Substrates:



Properties:



Available in:





OUR JOINERY ADHESIVE RANGE



L17

Hi-Temp Resistant Web Spray Adhesive

Cleaner. Faster. Smarter.

TensorGrip® L17 is a high performance contact adhesive with a unique resin formula which creates a tough and resilient bond line between decorative surface materials and all common wood substrates. Suitable for bonding HPL, GRP and aluminium to a wide variety of substrates including MDF, chipboard, plywood and many other timber sheet materials and is designed for permanent bonding where immediate bond strength and high heat resistance are required. TensorGrip® L17 can also be used for bonding sheet metals, where surface preparation is very important – surface must be degreased and lightly abraded with fine abrasive or non-woven material.

Advantages:

- Class 1 Fire Rating.
- Fast Drying.
- High Temp Resistance - 120°C.
- High Solids.
- Portable Systems.
- Easy Application Control.
- BS 6222 Bond Strength Approval.

Substrates:



Properties:



Available in:





OUR JOINERY ADHESIVE RANGE



LION

Non-Flam Web Spray Contact Adhesive

TensorGrip® L10N is a fast drying contact adhesive with good heat resistance. It is suitable for bonding a variety of materials to sheet timber, metal and some hard plastics. Immediate permanent bonds can be achieved by double-sided applications on most substrates. Its tacky pressure-sensitive properties make it ideal for foam, fabrics, fibrous materials, some hard plastics and many other porous and non-porous substrates.

Advantages:

- Fast Drying.
- Good Heat Resistance.
- High Solids.
- Easy Application Control.
- Versatile.
- Green Diamond Non-Flam Classification.



Substrates:



Properties:



Available in:



L20

Non-MECL Web Spray Contact Adhesive

TensorGrip® L20 is suitable for bonding HPL, hard plastics, GRP, foams and fabrics to a variety of substrates including MDF, chipboard, plywood and many other timber sheet materials. One of L20's unique properties is the ability to bond ACRYLIC MIRROR successfully without attacking or reacting with the material.



Advantages:

- Fast Drying.
- Good Heat Resistance.
- Very High Solids.
- Non-Chlorinated Adhesive.
- Easy Application Control.
- LEED Compliant.
- Halogen Free.

Substrates:



Properties:



Available in:



Save over
£250



WE'LL SET YOU UP WITH **TensorGrip®** FOR FREE!

Using **TensorGrip®** is more than simply using an adhesive canister; it is having everything that you need to create that unbeatable bond in as simple a fashion as possible. Inside this box lies the key to reaching the optimum potential of **TensorGrip®**, bringing your work to new heights of quality and efficiency, all the while incurring absolutely no additional cost to your first canister purchase*. We are proud to introduce the **TensorGrip® Kick Off Kit**. This unique package comes with all of the essential tools for bonding, including a Professional Spray Gun, Hose, Gun Tip, Roller and a **Tensor**-branded Ball. Everything to ensure that you are getting the very best out of our adhesives!



Kick Off



OUR JOINERY ADHESIVE RANGE



L21

Non-MECL GP Contact Spray Adhesive

TensorGrip® L21 is suitable for bonding HPL, hard plastics, GRP, foams and fabrics to a variety of substrates, including MDF, chipboard, plywood and many other timber sheet materials. TensorGrip® L21 is designed for permanent bonding of materials where immediate bond strength, water resistance and high heat resistance are required and can also be used for bonding sheet metals, where surface preparation is very important.

Advantages:

- Fast Drying.
- Good Heat Resistance.
- High Solids.
- Non-Chlorinated Adhesive.
- Easy Application Control.



Substrates:



Properties:



Available in:



L22

Non-MECL Fine Web Spray Adhesive

TensorGrip® L22 is super fine spray adhesive developed for permanent bonding of a wide variety of materials including HPL, GRP, leather, hard plastics to a variety of substrates including MDF, chipboard and plywood. L22 also has unrivalled ability in building up non-porous thick substrates such as MFC to MFC and over laminating applications. Appropriate surface preparation is essential in these applications.

Advantages:

- Fast Drying.
- High Heat Resistance.
- Very High Solids.
- Non-Chlorinated Adhesive.
- CA Compliant.
- Super fine spray pattern.
- Successfully bonds laminate to MFC.



Substrates:



Properties:



Available in:





OUR JOINERY ADHESIVE RANGE



L31

Mist-Pebble Fine Spray Adhesive

TensorGrip® L31 is suitable for bonding HPL and paperback veneers to a variety of substrates including MDF, chipboard, plywood and many other timber sheet materials. It is designed for permanent bonding of materials where immediate bond strength and high heat resistance are required. The L31 can also be used for bonding sheet metals where surface preparation is very important; the surface must be degreased and lightly abraded with fine abrasive or non-woven material.

Advantages:

- Ultra-Flat Glue Line.
- Good Heat Resistance.
- High Solids.
- Suitable for Post-Forming.
- Hi-Performance Neoprene-based resin.



Substrates:



Properties:



Available in:



L40

GP Contact Web Spray Adhesive

TensorGrip® L40 is a fast drying adhesive with good heat resistance suitable for bonding a variety of materials to sheet timber, metal and some hard plastics. Its tacky pressure-sensitive properties make it ideal for foam, fabrics, fibrous materials, some hard plastics and many other porous and non-porous substrates (to which immediate permanent bonds can be achieved by double-sided applications).

Advantages:

- Fast Drying.
- Good Heat Resistance.
- High Solids.
- Versatile.
- Easy Application Control.
- Economic.



Substrates:



Properties:



Available in:





OUR JOINERY ADHESIVE RANGE



L71

Plasticiser Resistant Vinyl Spray Adhesive

TensorGrip® L71 is a revolutionary high performance, plasticiser resistant adhesive, specially formulated for bonding vinyl, rubber and plastics. The L71 is engineered for use in areas on vinyl and other high plasticised flooring and fabric applications that are prone to failing throughout the joinery industry.



Advantages:

- Bonds vinyl permanently.
- Very Hi-Temp Resistance - 169°C.
- Excellent plasticiser resistance.
- Strong 1 or 2 sided bonds.
- High output for fast application.
- Resists weathering, water, fuel, oil and many other plasticisers.
- Bonds to damp surfaces.

Substrates:



Properties:



Available in:



L72

One-Way Stick Urethane Spray Adhesive

TensorGrip® L72 is a high performance, plasticiser resistant adhesive specially formulated for bonding vinyl, rubber and plastics. This one-sided bond adhesive gives faster and greater efficiencies in areas requiring an adhesive to be applied to one surface only due to physical constraints when applying to both sides. For use in areas on vinyl and other high plasticised flooring and fabric applications that are prone to failing.



Advantages:

- Bonds vinyl permanently.
- Very high-temp resistance - 140°C
- Excellent plasticiser resistance.
- Strong one-sided bonds.
- Resists weathering, water, fuel, oil and many other plasticisers.
- Repositionable dependant on application.

Substrates:



Properties:



Available in:





OUR ADHESIVE CLEANER RANGE



C101

Citrus Adhesive Cleaner

TensorGrip® C101 Citrus Cleaner is a biodegradable, citrus solvent cleaner, degreaser and adhesive remover. It can be used safely on most surfaces and substrates, including painted surfaces, glass, porcelain, concrete, and is compatible with many plastics and vinyls.

Advantages:

- Biodegradable.
- Compatible with most plastics.
- Citrus scent.
- Increased productivity.
- Minimises waste.
- Minimises equipment set-up & clean-up.
- Completely portable.



S105

Acetone Cleaner

TensorGrip® S105 Acetone Cleaner is a solvent cleaner specifically designed for use with TensorGrip® PU canister products as a Hose & Spray Gun Flushing System. It can be used safely on most canister spray equipment and is a strong solvent (will not remove dried/cured PU products). This product can be used safely on most surfaces and substrates including painted surfaces, glass, porcelain, concrete, and is compatible with many plastics and vinyls.

Advantages:

- Efficient clean-up & maintenance.
- Compatible with most adhesives.
- Compatible with most plastics.

Dual
**GLEEM
TEX**



THE ULTIMATE INDUSTRIAL WIPE

TensorGrip®

Sticky[®] points

THE ADHESIVE LOYALTY SCHEME

Receive **FREE** Tensor[®] products when you sign up to the **Sticky Points Loyalty Programme!**

Register for free and start earning **Sticky Points[®]** straight away! Simply buy **Tensor[®]** products from your usual distributor and enter your unique code online to earn **Sticky Points[®]**. These points can be exchanged for a range of **Tensor[®]** products, such as a 22L canister, a roller or spray gun, or even a football! Better still, we'll send your reward to you **FREE OF CHARGE!**

Why not check the canister you are currently using for a **Sticky Points[®]** label?

HERE'S HOW IT WORKS

1. Register your details
2. Find the code on your **Tensor[®]** product
3. Access your account
4. Enter your code
5. Watch your points balance grow
6. Redeem!

When you have collected enough points, **REDEEM** those points for your favourite product and we'll send it to you **FREE OF CHARGE!**



Scan here and register
to start collecting
Sticky Points now!

Tensor[®]

Contact Us

If you are looking to place an order or if you require any further information, please don't hesitate to get in touch.

Call:

0845 381 22 33

E-mail:

sales.uk@quinglobal.com

Visit:

www.tensorglobal.com

www.quinglobal.com

Quin Global UK

Unit 1, Ruthvenfield Avenue
Inveralmond Industrial Estate
Perth, PH1 3WB